

The logo for Emergya, featuring a stylized 'E' symbol followed by the word 'EMERGYA' in a bold, sans-serif font.

La **SOLUCIÓN** está en **SER LIBRES**

www.emergya.es

Acelerando los inicios de proyecto: distribuciones Drupal con Profiles, Features y Drush Make



Christian López Espínola

@penyaskito 

clopez@emergya.com 

Problems

Falta
productividad

The logo for Emergya, featuring a stylized 'E' symbol followed by the word 'EMERGYA' in a bold, sans-serif font.

La **SOLUCIÓN** está en **SER LIBRES**

www.emergya.es

Acelerando los inicios de proyecto:
distribuciones Drupal con Profiles,

Features y **Drush** Make



Christian López Espínola

@penyaskito 

clopez@emergya.com 

```

lopez@byron:~$ drush
Execute a drush command. Run 'drush help [command]' to view command-specific help. Run 'drush topic' to read even more documentation.

Global options (see 'drush topic core-global-options' for the full list):
-r <path>, --root=<path>      Drupal root directory to use (default: current directory)
-l <http://example.com>, --uri=<http://example.com>  URI of the drupal site to use (only needed in multisite environments)
-v, --verbose              Display extra information about the command.
-d, --debug               Display even more information, including internal messages.
-y, --yes                  Assume 'yes' as answer to all prompts
-n, --no                   Assume 'no' as answer to all prompts
-s, --simulate             Simulate all relevant actions (don't actually change the system)
-p, --pipe                 Emit a compact representation of the command for scripting.
-h, --help                 This help system.
--version                 Show drush version.
--php                      The absolute path to your PHP interpreter, if not 'php' in the path.

```

```

Core drush commands: (core)
cache-clear (cc)      Clear a specific cache, or all drupal caches.
core-cli (cli)       Enter a new shell optimized for drush use.
core-cron (cron)     Run all cron hooks in all active modules for specified site.
core-rsync (rsync)   Rsync the Drupal tree to/from another server using ssh.
core-status (status, t)  Provides a birds-eye view of the current Drupal installation, if any.
core-topic (topic)   Read detailed documentation on a given topic.
drupal-directory (d)  Return path to a given module/theme directory.
help                 Print this help message. See 'drush help help' for more options.
image-flush          Flush all derived images for a given style.
php-eval (eval, ev)  Evaluate arbitrary php code after bootstrapping Drupal (if available).
php-script (scr)     Run php script(s).
search-index         Index the remaining search items without wiping the index.
search-reindex       Force the search index to be rebuilt.
search-status        Show how many items remain to be indexed out of the total.
self-update          Update drush to the latest version, if available.
selfupdate
site-alias (sa)      Print site alias records for all known site aliases and local sites.
site-install (si)   Install Drupal along with modules/themes/configuration using the specified install profile.
site-upgrade (sup)  Run a major version upgrade for Drupal (e.g. Drupal 6 to Drupal 7). A copy of the site is made, and then upgraded; the source site is not changed.
test-clean           Clean temporary tables and files.
test-run             Run tests. Note that you must use the --uri option.
updatedb (updb)     Apply any database updates required (as with running update.php).
variable-delete     Delete a variable.
vdel
variable-get (vget)  Get a list of some or all site variables and values.
variable-set (vset) Set a variable.
version             Show drush version.
watchdog-delete     Delete watchdog messages.
wd-del, wd-delete)
watchdog-list       Show available message types and severity levels. A prompt will ask for a choice to show watchdog messages.
wd-list)
watchdog-show       Show watchdog messages.
wd-show, ws)

Field commands: (field)
field-clone         Clone a field and all its instances.
field-create        Create fields and instances. Returns urls for field editing.
field-delete        Delete a field and its instances.
field-info          View information about fields, field types, and widgets.
field-update        Return URL for field editing web page.

Project manager commands: (pm)
m-disable (dis)     Disable one or more extensions (modules or themes).
m-download (dl)     Download projects from drupal.org or other sources.
m-enable (en)       Enable one or more extensions (modules or themes).
m-info (pmi)        Show detailed info for one or more extensions (modules or themes).
m-list (pl)         Show a list of available extensions (modules and themes).
m-refresh (rf)      Refresh update status information.
m-releasenotes (rn) Print release notes for given projects.
m-releases (rl)    Print release information for given projects.
m-uninstall         Uninstall one or more modules.
m-update (up)       Update Drupal core and contrib projects and apply any pending database updates (Same as pm-updatecode + updatedb).
m-updatecode (upc) Update Drupal core and contrib projects to latest recommended releases.

SQL commands: (sql)
ql-cli (sqlc)       Open a SQL command-line interface using Drupal's credentials.
ql-connect          A string for connecting to the DB.
ql-drop            Drop all tables in a given database.
ql-dump            Exports the Drupal DB as SQL using mysqldump or equivalent.
ql-query (sqlq)    Execute a query against the site database.
ql-sync            Copy and import source database to target database. Transfers via rsync.

User commands: (user)
user-add-role (uror) Add a role to the specified user accounts.
user-block (ubl)    Block the specified user(s).
user-cancel (ucan)  Cancel a user account with the specified name.
user-create (ucrt)  Create a user account with the specified name.
user-information (uinf) Print information about the specified user(s).
user-login (uli)   Display a one time login link for the given user account (defaults to uid 1).
user-password (upwd) (Re)Set the password for the user account with the specified name.
user-remove-role (urrol) Remove a role from the specified user accounts.
user-unblock (uublk) Unblock the specified user(s).

Other commands: (drush)
make, drush make d o)
convert-makefile    Convert the specified makefile to a drupal.org friendly format, and verify the converted file.
make               Turns a makefile into a working drupal install.
make-generate       Attempts to generate a makefile from the current Drupal install, specifying project version numbers unless not known or otherwise specified. Unversioned projects will be interpreted later by drush make as 'most recent stable release'
generate-makefile)
make-test           Run a drush make test.
verify-makefile     Verify the specified makefile is in a drupal.org-friendly format.

```

lopez@byron:~\$ drush

Pulse para añadir un título

Pulse para añadir texto

```
$drush dl drupal-6
```

```
$cd drupal-6
```

```
$drush si --db-url=mysql://usr:pwd@localhost/d6demo
```

```
--account-pass=clopez
```

```
--account-mail=clopez@emergya.com
```

```
--locale=es
```

```
--clean-url
```

```
--debug
```

```
--site-name="Drupalcamp Spain Demo"
```

```
default
```

DEMO

drush

Problems

Configuración mezclado con Contenidos

Don't
repeat
yourself

The logo for Emergya, featuring a stylized 'E' symbol followed by the word 'EMERGYA' in a bold, sans-serif font.

La **SOLUCIÓN** está en **SER LIBRES**

www.emergya.es

Acelerando los inicios de proyecto:
distribuciones Drupal con Profiles,

Features y Drush Make



Christian López Espínola

@penyaskito 

clopez@emergya.com 



Activos
v1.0.1

DEMO

features

```
$drush dl drupal-6
```

```
$cd drupal-6
```

```
$drush si --db-url=mysql://usr:pwd@localhost/d6demo
```

```
--account-pass=clopez
```

```
--account-mail=clopez@emergya.com
```

```
--locale=es
```

```
--clean-url
```

```
--debug
```

```
--site-name="Drupalcamp Spain Demo"
```

```
default
```

Problems

Automate

**every process
that's worth
automating.**

The logo for Emergya, featuring a stylized 'E' symbol followed by the word 'EMERGYA' in a bold, sans-serif font.

La **SOLUCIÓN** está en **SER LIBRES**
www.emergya.es

Acelerando los inicios de proyecto:
distribuciones Drupal con **Profiles**,
Features y Drush Make



Christian López Espínola

@penyaskito 

clopez@emergya.com 

DEMO

profiles

Problems

Automate++

The logo for Emergya, featuring a stylized 'E' symbol followed by the word 'EMERGYA' in a bold, sans-serif font.

La **SOLUCIÓN** está en **SER LIBRES**

www.emergya.es

Acelerando los inicios de proyecto:
distribuciones Drupal con Profiles,
Features y **Drush Make**



Christian López Espínola

@penyaskito 

clopez@emergya.com 

A small version of the Emergya logo, consisting of the stylized 'E' symbol.


Activos
v1.0.1

DEMO

drush make

Problems

Problems?



The logo for Emergya, featuring a stylized 'E' symbol followed by the word 'EMERGYA' in a bold, sans-serif font.

La **SOLUCIÓN** está en **SER LIBRES**

www.emergya.es

Acelerando los inicios de proyecto: distribuciones Drupal con Profiles, Features y Drush Make



Christian López Espínola

@penyaskito 

clopez@emergya.com 